

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK[®]
TECHNOLOGIES




Knurlcraft[™]

Knurls – Metric

AD Series — 10 x 3 x 6

(d x w x b)



10mm



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 15° Left Hand	BL 30° Left Hand	BR 15° Right Hand	BR 30° Right Hand
90°	0.3 (85)	AD10-A00-AA03	AD10-A15-BL03	AD10-A30-BL03	AD10-A15-BR03	AD10-A30-BR03
90°	0.4 (64)	AD10-A00-AA04	AD10-A15-BL04	AD10-A30-BL04	AD10-A15-BR04	AD10-A30-BR04
90°	0.5 (51)	AD10-A00-AA05	AD10-A15-BL05	AD10-A30-BL05	AD10-A15-BR05	AD10-A30-BR05
90°	0.6 (42)	AD10-A00-AA06	AD10-A15-BL06	AD10-A30-BL06	AD10-A15-BR06	AD10-A30-BR06
90°	0.7 (36)	AD10-A00-AA07	AD10-A15-BL07	AD10-A30-BL07	AD10-A15-BR07	AD10-A30-BR07
90°	0.8 (32)	AD10-A00-AA08	AD10-A15-BL08	AD10-A30-BL08	AD10-A15-BR08	AD10-A30-BR08
90°	0.9 (28)	AD10-A00-AA09	AD10-A15-BL09	AD10-A30-BL09	AD10-A15-BR09	AD10-A30-BR09
90°	1.0 (25)	AD10-A00-AA10	AD10-A15-BL10	AD10-A30-BL10	AD10-A15-BR10	AD10-A30-BR10
90°	1.2 (21)	AD10-A00-AA12	AD10-A15-BL12	AD10-A30-BL12	AD10-A15-BR12	AD10-A30-BR12
90°	1.5 (17)	AD10-A00-AA15	AD10-A15-BL15	AD10-A30-BL15	AD10-A15-BR15	AD10-A30-BR15
90°	1.6 (16)	AD10-A00-AA16	AD10-A15-BL16	AD10-A30-BL16	AD10-A15-BR16	AD10-A30-BR16
90°	1.8 (14)	AD10-A00-AA18	AD10-A15-BL18	AD10-A30-BL18	AD10-A15-BR18	AD10-A30-BR18
90°	2.0 (13)	AD10-A00-AA20	AD10-A15-BL20	AD10-A30-BL20	AD10-A15-BR20	AD10-A30-BR20



EAGLE ROCK[®] TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams


EAGLE ROCK®
TECHNOLOGIES

Knurlcraft™


Knurls - Metric

M Series— 10 x 4 x 4

(d x w x b)



10mm



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 30° Left Hand	BR 30° Right Hand	GE 30° Male	GV 30° Female
90° 0.3 (85)		M10-A00-AA03	M10-A30-BL03	M10-A30-BR03	M10-A30-GE03	M20-A30-GV03
90° 0.4 (64)		M10-A00-AA04	M10-A30-BL04	M10-A30-BR04	M10-A30-GE04	M20-A30-GV04
90° 0.5 (51)		M10-A00-AA05	M10-A30-BL05	M10-A30-BR05	M10-A30-GE05	M20-A30-GV05
90° 0.6 (42)		M10-A00-AA06	M10-A30-BL06	M10-A30-BR06	M10-A30-GE06	M20-A30-GV06
90° 0.7 (36)		M10-A00-AA07	M10-A30-BL07	M10-A30-BR07	M10-A30-GE07	M20-A30-GV07
90° 0.8 (32)		M10-A00-AA08	M10-A30-BL08	M10-A30-BR08	M10-A30-GE08	M20-A30-GV08
90° 0.9 (28)		M10-A00-AA09	M10-A30-BL09	M10-A30-BR09	M10-A30-GE09	M20-A30-GV09
90° 1.0 (25)		M10-A00-AA10	M10-A30-BL10	M10-A30-BR10	M10-A30-GE10	M20-A30-GV10
90° 1.2 (21)		M10-A00-AA12	M10-A30-BL12	M10-A30-BR12	M10-A30-GE12	M20-A30-GV12
90° 1.5 (17)		M10-A00-AA15	M10-A30-BL15	M10-A30-BR15	M10-A30-GE15	M20-A30-GV15
90° 1.6 (16)		M10-A00-AA16	M10-A30-BL16	M10-A30-BR16	M10-A30-GE16	M20-A30-GV16
90° 1.8 (14)		M10-A00-AA18	M10-A30-BL18	M10-A30-BR18	M10-A30-GE18	M20-A30-GV18
90° 2.0 (13)		M10-A00-AA20	M10-A30-BL20	M10-A30-BR20	M10-A30-GE20	M20-A30-GV20

EAGLE ROCK® TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK[®]
TECHNOLOGIES




Knurlcraft[™]

Knurls – Metric

AB Series — 14.5 X 3 X 5

(d x w x b)



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 15° Left Hand	BL 30° Left Hand	BR 15° Right Hand	BR 30° Right Hand
90°	0.3 (85)	AB10-A00-AA03	AB10-A15-BL03	AB10-A30-BL03	AB10-A15-BR03	AB10-A30-BR03
90°	0.4 (64)	AB10-A00-AA04	AB10-A15-BL04	AB10-A30-BL04	AB10-A15-BR04	AB10-A30-BR04
90°	0.5 (51)	AB10-A00-AA05	AB10-A15-BL05	AB10-A30-BL05	AB10-A15-BR05	AB10-A30-BR05
90°	0.6 (42)	AB10-A00-AA06	AB10-A15-BL06	AB10-A30-BL06	AB10-A15-BR06	AB10-A30-BR06
90°	0.7 (36)	AB10-A00-AA07	AB10-A15-BL07	AB10-A30-BL07	AB10-A15-BR07	AB10-A30-BR07
90°	0.8 (32)	AB10-A00-AA08	AB10-A15-BL08	AB10-A30-BL08	AB10-A15-BR08	AB10-A30-BR08
90°	0.9 (28)	AB10-A00-AA09	AB10-A15-BL09	AB10-A30-BL09	AB10-A15-BR09	AB10-A30-BR09
90°	1.0 (25)	AB10-A00-AA10	AB10-A15-BL10	AB10-A30-BL10	AB10-A15-BR10	AB10-A30-BR10
90°	1.2 (21)	AB10-A00-AA12	AB10-A15-BL12	AB10-A30-BL12	AB10-A15-BR12	AB10-A30-BR12
90°	1.5 (17)	AB10-A00-AA15	AB10-A15-BL15	AB10-A30-BL15	AB10-A15-BR15	AB10-A30-BR15
90°	1.6 (16)	AB10-A00-AA16	AB10-A15-BL16	AB10-A30-BL16	AB10-A15-BR16	AB10-A30-BR16
90°	1.8 (14)	AB10-A00-AA18	AB10-A15-BL18	AB10-A30-BL18	AB10-A15-BR18	AB10-A30-BR18
90°	2.0 (13)	AB10-A00-AA20	AB10-A15-BL20	AB10-A30-BL20	AB10-A15-BR20	AB10-A30-BR20



EAGLE ROCK[®] TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK[®]
TECHNOLOGIES




Knurlcraft[™]

Knurls – Metric

P Series— 15 x 4 x 8

(d x w x b)



15mm



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 15° Left Hand	BL 30° Left Hand	BR 15° Right Hand	BR 30° Right Hand
90°	0.3 (85)	P10-A00-AA03	P10-A15-BL03	P10-A30-BL03	P10-A15-BR03	P10-A30-BR03
90°	0.4 (64)	P10-A00-AA04	P10-A15-BL04	P10-A30-BL04	P10-A15-BR04	P10-A30-BR04
90°	0.5 (51)	P10-A00-AA05	P10-A15-BL05	P10-A30-BL05	P10-A15-BR05	P10-A30-BR05
90°	0.6 (42)	P10-A00-AA06	P10-A15-BL06	P10-A30-BL06	P10-A15-BR06	P10-A30-BR06
90°	0.7 (36)	P10-A00-AA07	P10-A15-BL07	P10-A30-BL07	P10-A15-BR07	P10-A30-BR07
90°	0.8 (32)	P10-A00-AA08	P10-A15-BL08	P10-A30-BL08	P10-A15-BR08	P10-A30-BR08
90°	0.9 (28)	P10-A00-AA09	P10-A15-BL09	P10-A30-BL09	P10-A15-BR09	P10-A30-BR09
90°	1.0 (25)	P10-A00-AA10	P10-A15-BL10	P10-A30-BL10	P10-A15-BR10	P10-A30-BR10
90°	1.2 (21)	P10-A00-AA12	P10-A15-BL12	P10-A30-BL12	P10-A15-BR12	P10-A30-BR12
90°	1.5 (17)	P10-A00-AA15	P10-A15-BL15	P10-A30-BL15	P10-A15-BR15	P10-A30-BR15
90°	1.6 (16)	P10-A00-AA16	P10-A15-BL16	P10-A30-BL16	P10-A15-BR16	P10-A30-BR16
90°	1.8 (14)	P10-A00-AA18	P10-A15-BL18	P10-A30-BL18	P10-A15-BR18	P10-A30-BR18
90°	2.0 (13)	P10-A00-AA20	P10-A15-BL20	P10-A30-BL20	P10-A15-BR20	P10-A30-BR20



EAGLE ROCK[®] TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK®
TECHNOLOGIES



Knurlcraft™

Knurls – Metric

Q Series— 15 x 6 x 4

(d x w x b)

15mm



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 30° Left Hand	BR 30° Right Hand	GE 30° Male	GV 30° Female
90°	0.3 (85)	Q10-A00-AA03	Q10-A30-BL03	Q10-A30-BR03	Q10-A30-GE03	Q20-A30-GV03
90°	0.4 (64)	Q10-A00-AA04	Q10-A30-BL04	Q10-A30-BR04	Q10-A30-GE04	Q20-A30-GV04
90°	0.5 (51)	Q10-A00-AA05	Q10-A30-BL05	Q10-A30-BR05	Q10-A30-GE05	Q20-A30-GV05
90°	0.6 (42)	Q10-A00-AA06	Q10-A30-BL06	Q10-A30-BR06	Q10-A30-GE06	Q20-A30-GV06
90°	0.7 (36)	Q10-A00-AA07	Q10-A30-BL07	Q10-A30-BR07	Q10-A30-GE07	Q20-A30-GV07
90°	0.8 (32)	Q10-A00-AA08	Q10-A30-BL08	Q10-A30-BR08	Q10-A30-GE08	Q20-A30-GV08
90°	0.9 (28)	Q10-A00-AA09	Q10-A30-BL09	Q10-A30-BR09	Q10-A30-GE09	Q20-A30-GV09
90°	1.0 (25)	Q10-A00-AA10	Q10-A30-BL10	Q10-A30-BR10	Q10-A30-GE10	Q20-A30-GV10
90°	1.2 (21)	Q10-A00-AA12	Q10-A30-BL12	Q10-A30-BR12	Q10-A30-GE12	Q20-A30-GV12
90°	1.5 (17)	Q10-A00-AA15	Q10-A30-BL15	Q10-A30-BR15	Q10-A30-GE15	Q20-A30-GV15
90°	1.6 (16)	Q10-A00-AA16	Q10-A30-BL16	Q10-A30-BR16	Q10-A30-GE16	Q20-A30-GV16
90°	1.8 (14)	Q10-A00-AA18	Q10-A30-BL18	Q10-A30-BR18	Q10-A30-GE18	Q20-A30-GV18
90°	2.0 (13)	Q10-A00-AA20	Q10-A30-BL20	Q10-A30-BR20	Q10-A30-GE20	Q20-A30-GV20

EAGLE ROCK® TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK[®]
TECHNOLOGIES





Knurlcraft[™]

Knurls - Metric

AV Series — 15 x 6 x 6/8

Counterbored



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 30° Left Hand	BR 30° Right Hand	GE 30° Male	GV 30° Female
90°	0.3 (85)	AV10-A00-AA03	AV10-A30-BL03	AV10-A30-BR03	AV10-A30-GE03	AV20-A30-GV03
90°	0.4 (64)	AV10-A00-AA04	AV10-A30-BL04	AV10-A30-BR04	AV10-A30-GE04	AV20-A30-GV04
90°	0.5 (51)	AV10-A00-AA05	AV10-A30-BL05	AV10-A30-BR05	AV10-A30-GE05	AV20-A30-GV05
90°	0.6 (42)	AV10-A00-AA06	AV10-A30-BL06	AV10-A30-BR06	AV10-A30-GE06	AV20-A30-GV06
90°	0.7 (36)	AV10-A00-AA07	AV10-A30-BL07	AV10-A30-BR07	AV10-A30-GE07	AV20-A30-GV07
90°	0.8 (32)	AV10-A00-AA08	AV10-A30-BL08	AV10-A30-BR08	AV10-A30-GE08	AV20-A30-GV08
90°	0.9 (28)	AV10-A00-AA09	AV10-A30-BL09	AV10-A30-BR09	AV10-A30-GE09	AV20-A30-GV09
90°	1.0 (25)	AV10-A00-AA10	AV10-A30-BL10	AV10-A30-BR10	AV10-A30-GE10	AV20-A30-GV10
90°	1.2 (21)	AV10-A00-AA12	AV10-A30-BL12	AV10-A30-BR12	AV10-A30-GE12	AV20-A30-GV12
90°	1.5 (17)	AV10-A00-AA15	AV10-A30-BL15	AV10-A30-BR15	AV10-A30-GE15	AV20-A30-GV15
90°	1.6 (16)	AV10-A00-AA16	AV10-A30-BL16	AV10-A30-BR16	AV10-A30-GE16	AV20-A30-GV16
90°	1.8 (14)	AV10-A00-AA18	AV10-A30-BL18	AV10-A30-BR18	AV10-A30-GE18	AV20-A30-GV18
90°	2.0 (13)	AV10-A00-AA20	AV10-A30-BL20	AV10-A30-BR20	AV10-A30-GE20	AV20-A30-GV20



EAGLE ROCK[®] TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK[®]
TECHNOLOGIES



Knurlcraft[™]


BX Series — 15 x 6 x 6/11

Knurls – Metric

Counterbored



(d x w x b₁/b₂)



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 30° Left Hand	BR 30° Right Hand	GE 30° Male	GV 30° Female
90°	0.3 (85)	BX10-A00-AA03	BX10-A30-BL03	BX10-A30-BR03	BX10-A30-GE03	BX20-A30-GV03
90°	0.4 (64)	BX10-A00-AA04	BX10-A30-BL04	BX10-A30-BR04	BX10-A30-GE04	BX20-A30-GV04
90°	0.5 (51)	BX10-A00-AA05	BX10-A30-BL05	BX10-A30-BR05	BX10-A30-GE05	BX20-A30-GV05
90°	0.6 (42)	BX10-A00-AA06	BX10-A30-BL06	BX10-A30-BR06	BX10-A30-GE06	BX20-A30-GV06
90°	0.7 (36)	BX10-A00-AA07	BX10-A30-BL07	BX10-A30-BR07	BX10-A30-GE07	BX20-A30-GV07
90°	0.8 (32)	BX10-A00-AA08	BX10-A30-BL08	BX10-A30-BR08	BX10-A30-GE08	BX20-A30-GV08
90°	0.9 (28)	BX10-A00-AA09	BX10-A30-BL09	BX10-A30-BR09	BX10-A30-GE09	BX20-A30-GV09
90°	1.0 (25)	BX10-A00-AA10	BX10-A30-BL10	BX10-A30-BR10	BX10-A30-GE10	BX20-A30-GV10
90°	1.2 (21)	BX10-A00-AA12	BX10-A30-BL12	BX10-A30-BR12	BX10-A30-GE12	BX20-A30-GV12
90°	1.5 (17)	BX10-A00-AA15	BX10-A30-BL15	BX10-A30-BR15	BX10-A30-GE15	BX20-A30-GV15
90°	1.6 (16)	BX10-A00-AA16	BX10-A30-BL16	BX10-A30-BR16	BX10-A30-GE16	BX20-A30-GV16
90°	1.8 (14)	BX10-A00-AA18	BX10-A30-BL18	BX10-A30-BR18	BX10-A30-GE18	BX20-A30-GV18
90°	2.0 (13)	BX10-A00-AA20	BX10-A30-BL20	BX10-A30-BR20	BX10-A30-GE20	BX20-A30-GV20



EAGLE ROCK[®] TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams


EAGLE ROCK®
TECHNOLOGIES

Knurlcraft™


Knurls – Metric

S Series — 20 x 8 x 6

(d x w x b)



20mm



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 30° Left Hand	BR 30° Right Hand	GE 30° Male	GV 30° Female
90°	0.3 (85)	S10-A00-AA03	S10-A30-BL03	S10-A30-BR03	S10-A30-GE03	S20-A30-GV03
90°	0.4 (64)	S10-A00-AA04	S10-A30-BL04	S10-A30-BR04	S10-A30-GE04	S20-A30-GV04
90°	0.5 (51)	S10-A00-AA05	S10-A30-BL05	S10-A30-BR05	S10-A30-GE05	S20-A30-GV05
90°	0.6 (42)	S10-A00-AA06	S10-A30-BL06	S10-A30-BR06	S10-A30-GE06	S20-A30-GV06
90°	0.7 (36)	S10-A00-AA07	S10-A30-BL07	S10-A30-BR07	S10-A30-GE07	S20-A30-GV07
90°	0.8 (32)	S10-A00-AA08	S10-A30-BL08	S10-A30-BR08	S10-A30-GE08	S20-A30-GV08
90°	0.9 (28)	S10-A00-AA09	S10-A30-BL09	S10-A30-BR09	S10-A30-GE09	S20-A30-GV09
90°	1.0 (25)	S10-A00-AA10	S10-A30-BL10	S10-A30-BR10	S10-A30-GE10	S20-A30-GV10
90°	1.2 (21)	S10-A00-AA12	S10-A30-BL12	S10-A30-BR12	S10-A30-GE12	S20-A30-GV12
90°	1.5 (17)	S10-A00-AA15	S10-A30-BL15	S10-A30-BR15	S10-A30-GE15	S20-A30-GV15
90°	1.6 (16)	S10-A00-AA16	S10-A30-BL16	S10-A30-BR16	S10-A30-GE16	S20-A30-GV16
90°	1.8 (14)	S10-A00-AA18	S10-A30-BL18	S10-A30-BR18	S10-A30-GE18	S20-A30-GV18
90°	2.0 (13)	S10-A00-AA20	S10-A30-BL20	S10-A30-BR20	S10-A30-GE20	S20-A30-GV20

EAGLE ROCK® TECHNOLOGIES INC.

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

*Manufacturers of Specialty
Tooling and Accessories since 1963*

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK®
TECHNOLOGIES

Knurlcraft™


BY Series — 20 x 8 x 6/13

Knurls – Metric

Counterbored



(d x w x b₁/b₂)



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 30° Left Hand	BR 30° Right Hand	GE 30° Male	GV 30° Female
90°	0.3 (85)	BY10-A00-AA03	BY10-A30-BL03	BY10-A30-BR03	BY10-A30-GE03	BY20-A30-GV03
90°	0.4 (64)	BY10-A00-AA04	BY10-A30-BL04	BY10-A30-BR04	BY10-A30-GE04	BY20-A30-GV04
90°	0.5 (51)	BY10-A00-AA05	BY10-A30-BL05	BY10-A30-BR05	BY10-A30-GE05	BY20-A30-GV05
90°	0.6 (42)	BY10-A00-AA06	BY10-A30-BL06	BY10-A30-BR06	BY10-A30-GE06	BY20-A30-GV06
90°	0.7 (36)	BY10-A00-AA07	BY10-A30-BL07	BY10-A30-BR07	BY10-A30-GE07	BY20-A30-GV07
90°	0.8 (32)	BY10-A00-AA08	BY10-A30-BL08	BY10-A30-BR08	BY10-A30-GE08	BY20-A30-GV08
90°	0.9 (28)	BY10-A00-AA09	BY10-A30-BL09	BY10-A30-BR09	BY10-A30-GE09	BY20-A30-GV09
90°	1.0 (25)	BY10-A00-AA10	BY10-A30-BL10	BY10-A30-BR10	BY10-A30-GE10	BY20-A30-GV10
90°	1.2 (21)	BY10-A00-AA12	BY10-A30-BL12	BY10-A30-BR12	BY10-A30-GE12	BY20-A30-GV12
90°	1.5 (17)	BY10-A00-AA15	BY10-A30-BL15	BY10-A30-BR15	BY10-A30-GE15	BY20-A30-GV15
90°	1.6 (16)	BY10-A00-AA16	BY10-A30-BL16	BY10-A30-BR16	BY10-A30-GE16	BY20-A30-GV16
90°	1.8 (14)	BY10-A00-AA18	BY10-A30-BL18	BY10-A30-BR18	BY10-A30-GE18	BY20-A30-GV18
90°	2.0 (13)	BY10-A00-AA20	BY10-A30-BL20	BY10-A30-BR20	BY10-A30-GE20	BY20-A30-GV20

EAGLE ROCK® TECHNOLOGIES INC.

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

Manufacturers of Specialty Tooling and Accessories since 1963

1-610-759-5200 • Fax: 1-610-759-4340

1-800-EAGLEROCK • 1-800-324-5376

www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK®
TECHNOLOGIES



Knurlcraft™



L Series — 20 x 8 x 10/12

Knurls – Metric

Counterbored



(d x w x b₁/b₂)



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 30° Left Hand	BR 30° Right Hand	GE 30° Male	GV 30° Female
90°	0.3 (85)	L10-A00-AA03	L10-A30-BL03	L10-A30-BR03	L10-A30-GE03	L20-A30-GV03
90°	0.4 (64)	L10-A00-AA04	L10-A30-BL04	L10-A30-BR04	L10-A30-GE04	L20-A30-GV04
90°	0.5 (51)	L10-A00-AA05	L10-A30-BL05	L10-A30-BR05	L10-A30-GE05	L20-A30-GV05
90°	0.6 (42)	L10-A00-AA06	L10-A30-BL06	L10-A30-BR06	L10-A30-GE06	L20-A30-GV06
90°	0.7 (36)	L10-A00-AA07	L10-A30-BL07	L10-A30-BR07	L10-A30-GE07	L20-A30-GV07
90°	0.8 (32)	L10-A00-AA08	L10-A30-BL08	L10-A30-BR08	L10-A30-GE08	L20-A30-GV08
90°	0.9 (28)	L10-A00-AA09	L10-A30-BL09	L10-A30-BR09	L10-A30-GE09	L20-A30-GV09
90°	1.0 (25)	L10-A00-AA10	L10-A30-BL10	L10-A30-BR10	L10-A30-GE10	L20-A30-GV10
90°	1.2 (21)	L10-A00-AA12	L10-A30-BL12	L10-A30-BR12	L10-A30-GE12	L20-A30-GV12
90°	1.5 (17)	L10-A00-AA15	L10-A30-BL15	L10-A30-BR15	L10-A30-GE15	L20-A30-GV15
90°	1.6 (16)	L10-A00-AA16	L10-A30-BL16	L10-A30-BR16	L10-A30-GE16	L20-A30-GV16
90°	1.8 (14)	L10-A00-AA18	L10-A30-BL18	L10-A30-BR18	L10-A30-GE18	L20-A30-GV18
90°	2.0 (13)	L10-A00-AA20	L10-A30-BL20	L10-A30-BR20	L10-A30-GE20	L20-A30-GV20



EAGLE ROCK® TECHNOLOGIES INC.

*Manufacturers of Specialty
Tooling and Accessories since 1963*

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK®
TECHNOLOGIES


Knurlcraft™

Knurls – Metric

AC Series — 21.5 X 5 X 8

(d x w x b)

21.5mm



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 15° Left Hand	BL 30° Left Hand	BR 15° Right Hand	BR 30° Right Hand
90°	0.3 (85)	AC10-A00-AA03	AC10-A15-BL03	AC10-A30-BL03	AC10-A15-BR03	AC10-A30-BR03
90°	0.4 (64)	AC10-A00-AA04	AC10-A15-BL04	AC10-A30-BL04	AC10-A15-BR04	AC10-A30-BR04
90°	0.5 (51)	AC10-A00-AA05	AC10-A15-BL05	AC10-A30-BL05	AC10-A15-BR05	AC10-A30-BR05
90°	0.6 (42)	AC10-A00-AA06	AC10-A15-BL06	AC10-A30-BL06	AC10-A15-BR06	AC10-A30-BR06
90°	0.7 (36)	AC10-A00-AA07	AC10-A15-BL07	AC10-A30-BL07	AC10-A15-BR07	AC10-A30-BR07
90°	0.8 (32)	AC10-A00-AA08	AC10-A15-BL08	AC10-A30-BL08	AC10-A15-BR08	AC10-A30-BR08
90°	0.9 (28)	AC10-A00-AA09	AC10-A15-BL09	AC10-A30-BL09	AC10-A15-BR09	AC10-A30-BR09
90°	1.0 (25)	AC10-A00-AA10	AC10-A15-BL10	AC10-A30-BL10	AC10-A15-BR10	AC10-A30-BR10
90°	1.2 (21)	AC10-A00-AA12	AC10-A15-BL12	AC10-A30-BL12	AC10-A15-BR12	AC10-A30-BR12
90°	1.5 (17)	AC10-A00-AA15	AC10-A15-BL15	AC10-A30-BL15	AC10-A15-BR15	AC10-A30-BR15
90°	1.6 (16)	AC10-A00-AA16	AC10-A15-BL16	AC10-A30-BL16	AC10-A15-BR16	AC10-A30-BR16
90°	1.8 (14)	AC10-A00-AA18	AC10-A15-BL18	AC10-A30-BL18	AC10-A15-BR18	AC10-A30-BR18
90°	2.0 (13)	AC10-A00-AA20	AC10-A15-BL20	AC10-A30-BL20	AC10-A15-BR20	AC10-A30-BR20

EAGLE ROCK® TECHNOLOGIES INC.

Manufacturers of Specialty Tooling and Accessories since 1963

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com

Metric Conversions

MM	x	0.03937	=	Inches
Inches	x	25.4	=	MM
Grams	x	0.03527	=	Ounces
Ounces	x	28.349527	=	Grams

EAGLE ROCK[®]
TECHNOLOGIES




Knurlcraft[™]

V Series — 25 x 6 x 8

Knurls – Metric

(d x w x b)



25mm



Tooth Angle	Pitch mm (TPI)	AA 0° Straight	BL 15° Left Hand	BL 30° Left Hand	BR 15° Right Hand	BR 30° Right Hand
90°	0.3 (85)	V10-A00-AA03	V10-A15-BL03	V10-A30-BL03	V10-A15-BR03	V10-A30-BR03
90°	0.4 (64)	V10-A00-AA04	V10-A15-BL04	V10-A30-BL04	V10-A15-BR04	V10-A30-BR04
90°	0.5 (51)	V10-A00-AA05	V10-A15-BL05	V10-A30-BL05	V10-A15-BR05	V10-A30-BR05
90°	0.6 (42)	V10-A00-AA06	V10-A15-BL06	V10-A30-BL06	V10-A15-BR06	V10-A30-BR06
90°	0.7 (36)	V10-A00-AA07	V10-A15-BL07	V10-A30-BL07	V10-A15-BR07	V10-A30-BR07
90°	0.8 (32)	V10-A00-AA08	V10-A15-BL08	V10-A30-BL08	V10-A15-BR08	V10-A30-BR08
90°	0.9 (28)	V10-A00-AA09	V10-A15-BL09	V10-A30-BL09	V10-A15-BR09	V10-A30-BR09
90°	1.0 (25)	V10-A00-AA10	V10-A15-BL10	V10-A30-BL10	V10-A15-BR10	V10-A30-BR10
90°	1.2 (21)	V10-A00-AA12	V10-A15-BL12	V10-A30-BL12	V10-A15-BR12	V10-A30-BR12
90°	1.5 (17)	V10-A00-AA15	V10-A15-BL15	V10-A30-BL15	V10-A15-BR15	V10-A30-BR15
90°	1.6 (16)	V10-A00-AA16	V10-A15-BL16	V10-A30-BL16	V10-A15-BR16	V10-A30-BR16
90°	1.8 (14)	V10-A00-AA18	V10-A15-BL18	V10-A30-BL18	V10-A15-BR18	V10-A30-BR18
90°	2.0 (13)	V10-A00-AA20	V10-A15-BL20	V10-A30-BL20	V10-A15-BR20	V10-A30-BR20

EAGLE ROCK[®] TECHNOLOGIES INC.

One Eagle Rock Drive
Bath, Pennsylvania
18014-9648

*Manufacturers of Specialty
Tooling and Accessories since 1963*

1-610-759-5200 • Fax: 1-610-759-4340
1-800-EAGLEROCK • 1-800-324-5376
www.EagleRockONLINE.com